PHYSICS AND CHEMISTRY OF MINERALS

Volume 16 1988/89

In Cooperation with the International Mineralogical Association (IMA)

Founding Editors: S. S. Hafner and C. T. Prewitt

Edited by I. Jackson, A.S. Marfunin, A. Navrotsky, F. Seifert

Advisory Board

T.J. Ahrens Pasadena
A. Authier Paris
V.I. Baguin Moscow
A. Baronnet Marseille
G.B. Bokij Moscow
M.E. Fleet London, Ontario
V. Gabis Orléans la Source
G.V. Gibbs Blacksburg
R. Jeanloz Berkeley
D.L. Kohlstedt Ithaca
K. Langer Berlin
G. Lehmann Münster
J.D.C. McConnell Oxford, U.K.
A.C. McLaren Canberra
N. Morimoto Kyoto
R.E. Newnham University Park
A. Preisinger Vienna
A. Putnis Cambridge, U.K.
E. Salje Cambridge, U.K.
H. Schmalzried Hannover
R.N. Schock Livermore
Y. Syono Sendai
J. Tossell College Park
V.M. Vinokurov Kazan

Springer International

Physics and Chemistry of Minerals

In Cooperation with the International Mineralogical Association (IMA)

Founded in 1977. Founding Editor: S. S. Hafner.
Volumes 1–9 (1977–1983) edited by S. S. Hafner, A. S. Marfunin, and C. T. Prewitt,
from Volume 10 (1984) by I. Jackson, A. S. Marfunin, C. T. Prewitt, F. Seifert,
from Volume 13 (1986) by I. Jackson, A. S. Marfunin, A. Navrotsky, F. Seifert

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $ 0.20 per page, or a minimum of US $ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0342-1791, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printed by Universitätsdruckerei H. Stürtz AG, Würzburg

© Springer-Verlag Berlin Heidelberg 1988/89

Printed in Germany

Author Index, Volume 16

Abraham MM, see Subramanian MA, et al. 741–746
Ahrens T, see Gratz AJ, et al. 221–233
Akamatsu T, Fujino K, Kumazawa M, Fujimura A, Kato M, Sawamoto H, Yamanaka T: Pressure and Temperature Dependence of Cation Distribution in Mg–Mn Olivine 105–113
Akaogi M, see McMillan P, et al. 428–435
Amelinckx S, see Van Tendeloo G, et al. 311–319
Amthauer G, see Kühberger A, et al. 734–740
Anderson OL: The Relationship Between the Adiabatic Bulk Modulus and Enthalpy for Mantle-Related Minerals 559–562
Anderson OL, Zou K: Formulation of the Thermodynamic Functions for Mantle Minerals: MgO as an Example 642–648
Anderson OL, see Isaak DG, et al. 704–713
Angel RJ, Redfern SAT, Ross NL: Spontaneous Strain below the $I\bar{1}-P\bar{1}$ Transition in Anorthite at Pressure 539–544
Ashida T, Kume S, Ito E, Navrotsky A: $MgSiO_3$ Ilmenite: Heat Capapcity, Thermal Expansivity, and Enthalpy of Transformation 239–245
Bakas T, see Coey JMD, et al. 394–400
Ballet O: Note on the ^{57}Fe Mössbauer Spectroscopy of Oriented Paramagnetic Minerals 331–333
Ballet O, Coey JMD, Fillion G, Ghose A, Hewat A, Regnard JR: Magnetic Order in Acmite; $NaFeSi_2O_6$ 672–677
Barbier J, Fleet ME: Investigation of Phase Relations in the (Na,K)$AlGeO_4$ System 276–285
Bershov LV, see Ryabov ID, et al. 374–377
Bertling E, Marsmann HC: Derivatives of Silicic Acids as Model Compounds for Silicates 295–297
Bleam WF, Dec SF, Frye JS: ^{27}Al Solid-State Nuclear Magnetic Resonance Study of Five-Coordinate Aluminium in Augelite and Senegalite 817–820
Bleam WF, Pfeffer PE, Frye JS: ^{31}P and ^{27}Al Solid-State Nuclear Magnetic Resonance Study of Tarankite 809–816
Bleam WF, Pfeffer PE, Frye JS: ^{31}P Solid-State Nuclear Magnetic Resonance Spectroscopy of Aluminium Phosphate Minerals 455–464
Bonnin D, see Manceau A, et al. 180–185
Boudeulle M, see Trolliard G, et al. 130–139
Boulogne B, Cordier P, Doukhan J-C: Defects and Hydrolytic Weakening in α-Berlinite $AlPO_4$. A Structural Analog of Quartz 250–261
Bowen LH, DeGrave E, Reid DA, Graham RC, Edinger SB: Mössbauer Study of a California Desert Celadonite and its Pedogenically-related Smectite 697–703
Boyer H, see Velde B, et al. 436–441
Brinkmann D, see Ghose S, et al. 720–724
Brown NE, see Ko J, et al. 727–733
Brückel T, see Oelkrug H, et al. 246–249
Bukowinski MST, see Stixrude L 199–206
Cardile CM, see Luca V 98–103
Carpenter MA, see Harris MJ, et al. 649–658
Catti M: Modelling of Structural and Elastic Changes of Forsterite (Mg_2SiO_4) under Stress 582–590
Cemič L, Kleppa OJ: High Temperature Calorimetry of Sulfide Systems. III. Standard Enthalpies of Formation of Phases in the Systems Fe–Cu–S and Co–S 172–179
Chai BHT, see Subramanian MA, et al. 741–746
Chaplot SL, see Choudhury N, et al. 599–605
Chaplot SL, see Rao KR, et al. 83–97
Choudhury N, Chaplot SL, Rao KR: Equation of State and Melting Point Studies of Forsterite 599–605
Choudhury N, see Rao KR, et al. 83–97
Christie J, see Gratz AJ, et al. 221–233
Christy AG: A Short-Range Interaction Model for Polytypism and Planar Defect Placement in Sapphirine 343–351
Coey JMD, Bakas T, McDonagh CM, Litterst FJ: Electrical and Magnetic Properties of Cronstedtite 394–400
Coey JMD, see Ballet O, et al. 672–677
Cooney TF, see Sur SK 693–696
Cooney TF, see Williams Q, et al. 352–359
Copreaux J, Gandais M, Dujon S-C: Growth and Ordering Processes in Synthetic Hydrothermal Anorthite. X-Ray Diffraction and Transmission Electron Microscopy 545–550
Cordier P, see Boulogne B, et al. 250–261
Corliss LM, see Rao KR, et al. 83–97
Dec SF, see Bleam WF, et al. 817–820
DeGrave E, see Bowen LH, et al. 697–703
Dimitrov V, see Zotov N, et al. 774–782
Dingwell DB, Webb SL: Structural Relaxation in Silicate Melts and Non-Newtonian Melt Rheology in Geologic Processes 508–516
Domeneghetti MC, see Saxena SK, et al. 421–427
Doukhan J-C, see Boulogne B, et al. 250–261
Dove MT, Powell BM: Neutron Diffraction Study of the Tricritical Orientational Order/Disorder Phase Transition in Calcite at 1260 K 503–507
Dujon S-C, see Copreaux J, et al. 545–550
Dunlap BD, see Kan X, et al. 55–60
Edinger SB, see Bowen LH, et al. 697–703
Ewing RC, see Lumpkin GR 2–20
Fabrichnaya OB, see Kuskov OL, et al. 442–454
Farnan I, see Stebbins JF, et al. 763–766
Fehr T, see Kühberger A, et al. 734–740
Fillion G, see Ballet O, et al. 672–677
FitzGerald JD, see McLaren AC, et al. 465–482
Fleet ME, see Barbier J 276–285
Frétigny C, see Manceau A, et al. 180–185
Frye JS, see Bleam WF, et al. 455–464, 809–816, 817–820
Fujimura A, see Akamatsu T, et al. 105–113
Fujino K, see Akamatsu T, et al. 105–113
Galimzyanov RF, see Kuskov OL, et al. 442–454
Gandais M, see Copreaux J, et al. 545–550
Ganeev IG, see Ryabov ID, et al. 374–377
Garrison EG: Characterization of an ESR Geochronological Dating Center in Flints 767–773
Gasparik T, see Ko J, et al. 727–733
Gerretsen J, Paterson MS, McLaren AC: The Uptake and Solubility of Water in Quartz at Elevated Pressure and Temperature 334–342
Gerretsen J, see McLaren AC, et al. 465–482
Ghose A, see Ballet O, et al. 672–677
Ghose S, Brinkmann D, Roos J: Nuclear Magnetic Resonance of ^{7}Li and ^{23}Na in Zektzerite, $NaLiZrSi_6O_{15}$ 720–724
Ghose S, Tsukimura K, Hatch DM: Phase Transitions in Ilvaite, a Mixed-Valence Iron Silicate. II. A Single Crystal X-ray Diffraction Study and Landau Theory of the Monoclinic to Orthorhombic Phase Transition Induced by Charge Delocalization 483–496
Ghose S, see Güttler B, et al. 606–613
Ghose S, see Hatch DM 614–620
Ghose S, see Kan X, et al. 55–60
Ghose S, see Rao KR, et al. 83–97
Ghose S, see Van Tendeloo G, et al. 311–319
Gibbs GV, see Lasaga AC 29–41
Gillet P, Reynard B, Tequi C: Thermodynamic Properties of Glaucophane New Data from Calorimetric and Spectroscopic Measurements 659–667
Goodman BA, see Sawcer DE, et al. 73–77
Gordon RG, see Jackson MD 212–220
Goss CJ: Saturation Magnetisation, Coercivity and Lattice Parameter Changes in the System $Fe_3O_4-\gamma Fe_2O_3$, and Their Relationship to Structure 164–171
Goto T, see Isaak DG, et al. 704–713
Graeme-Barber A, see Redfern SAT, et al. 157–163
Graham EK, Schwab JA, Sopkin SM, Takei H: The Pressure and Temperature Dependence of the Elastic Properties of Single-Crystal Fayalite Fe_2SiO_4 186–198
Graham RC, see Bowen LH, et al. 697–703
Gratz AJ, Tyburczy J, Christie J, Ahrens T, Pongratz P: Shock Metamorphism of Deformed Quartz 221–233
Gupta HC, Mahanti SD, Solin SA: Torsional Mode Frequency and Elastic Anisotropy in Alkali Vermiculites 291–294
Güttler B, Salje E, Ghose S: Polarized Single Crystal Absorption Spectroscopy of the *P nam-P2*$_1$*/a* Transition of Ilvaite $Ca(Fe^{2+}, Fe^{3+})Fe^{2+}Si_2O_8(OH)$ as Measured Between 300 K and 450 K 606–613

Güttler B, Salje E, Putnis A: Structural States of Mg Cordierite III: Infrared Spectroscopy and the Nature of the Hexagonal-Modulated Transition 365–373
Güttler BK, see Harris MJ, et al. 649–658
Güttler B, see Salje E, et al. 576–581
Guyot F, see Madon M, et al. 320–330
Harris MJ, Salje EKH, Güttler BK, Carpenter MA: Structural States of Natural Potassium Feldspar: An Infrared Spectroscopic Study 649–658
Hastings JM, see Rao KR, et al. 83–97
Hatch DM, Ghose S: A Dynamical Model for the $I\bar{1} - P\bar{1}$ Phase Transition in Anorthite, $CaAl_2Si_2O_8$. II. Order Parameter Treatment 614–620
Hatch DM, see Ghose S, et al. 483–496
Hazen RM, see Ross NL 415–420
Hewat A, see Ballet O, et al. 672–677
Hohlwein D, see Oelkrug H, et al. 246–249
Hoser A, see Oelkrug H, et al. 246–249
Hovis GL, see Phillips BL, et al. 262–275
Huckenholz HG, see Kühberger A, et al. 734–740
Isaak DG, Anderson OL, Goto T: Measured Elastic Moduli of Single-Crystal MgO up to 1800 K 704–713
Ito E, see Ashida T, et al. 239–245
Ito E, see Leinenweber K, et al. 799–808
Jackson MD, Gordon RG: MEG Investigation of Low Pressure Silica – Shell Model for Polarization 212–220
Jenkins DM: Empirical Study of the Infrared Lattice Vibrations (1100–350 cm^{-1}) of Phlogopite 408–414
Johannsen PG, see Winkler B, et al. 668–671
Kaiser P, see Manceau A, et al. 180–185
Kan X, Ghose S, Dunlap BD: Phase Transitions in Ilvaite, a Mixed-valence Iron Silicate I. A ^{57}Fe Mössbauer Study of Magnetic Order and Spin Frustration 55–60
Kato M, see Akamatsu T, et al. 105–113
Kato T, Ringwood AE: Melting Relationships in the System Fe – FeO at High Pressures: Implications for the Composition and Formation of the Earth's Core 524–538
Kikuchi M, see Velde B, et al. 436–441
Kim Y-H, Ming LC, Manghnani MH: A Study of Phase Transformation in Hedenbergite to 40 GPa at ~1200° C 757–762
Kirkpatrick RJ, see Phillips BL, et al. 262–275
Kirkpatrick RJ, see Phillips BL, et al. 591–598
Kleppa OJ, see Cemič L 172–179
Ko J, Brown NE, Navrotsky A, Prewitt CT, Gasparik T: Phase Equilibrium and Calorimetric Study of the Transition of $MnTiO_3$ from the Ilmenite to the Lithium Niobate Structure and Implications for the Stability Field of Perovskite 727–733
Ko J, see Ross NL, et al. 621–629
Kühberger A, Fehr T, Huckenholz HG, Amthauer G: Crystal Chemistry of a Natural Schorlomite and Ti-Andradites Synthesized at Different Oxygen Fugacities 734–740
Kulikov OA, see Vlasov VK 551–558
Kumazawa M, see Akamatsu T, et al. 105–113
Kume S, see Ashida T, et al. 239–245
Kuskov OL, Fabrichnaya OB, Galimzyanov RF, Truskinovksy LM: Computer Simulation of the Phase Diagram for the $MgO - SiO_2$ System at $P - T$ Parameters of the Mantle Transition Zone 442–454
Langer K, see Steffen G, et al. 120–129
Langer K, see Winkler B, et al. 668–671
Lardeaux JM, see Trolliard G, et al. 130–139
Lasaga AC, Gibbs GV: Quantum Mechanical Potential Surfaces and Calculations on Minerals and Molecular Clusters 29–41
Lazarev AN: Vibrational Spectra, Lattice Dynamics and Chemical Constitution of Oxides 61–72
Lehmann G, see Stegger P 401–407
Leinenweber K, Navrotsky A: Thermochemistry of Phases in the System $MgGa_2O_4 - Mg_2GeO_4$ 497–502
Leinenweber K, Navrotsky A, McMillan P, Ito E: Transition Enthalpies and Entropies of High Pressure Zinc Metasilicates and Zinc Metagermanates 799–808
Liebermann RC, see Wang Y, et al. 630–633
Litterst FJ, see Coey JMD, et al. 394–400
Luca V, Cardile CM: Thermally Induced Cation Migration in Na and Li Montmorillonite 98–103
Lumpkin GR, Ewing RC: Alpha-Decay Damage in Minerals of the Pyrochlore Group 2–20
Madon M, Guyot F, Peyronneau J, Poirier JP: Electron Microscopy of High-Pressure Phases Synthesized from Natural Olivine in Diamond Anvil Cell 320–330
Mahanti SD, see Gupta HC, et al. 291–294
Malhotra VM, Ogloza AA: FTIR Spectra of Hydroxyls and Dehydroxylation Kinetics Mechanism in Montmorillonite 386–393
Malhotra VM, see Ogloza AA 378–385
Manceau A, Bonnin D, Kaiser P, Frétigny C: Polarized EXAFS of Biotite and Chlorite 180–185
Manghnani MH, see Kim Y-H, et al. 757–762
Mao H-K, see Richet P, et al. 207–211
Marcos Pascual C, Virgos Rovira JM: Determination of the Principal Reflectances of an Absorbing Uniaxial Mineral, Ilmenite, from Measurements on Random Sections 51–54
Marler B: On the Relationship between Refractive Index and Density for SiO_2-polymorphs 286–290
Marsmann HC, see Bertling E 295–297
Matsui M: Molecular Dynamics Study of $MgSiO_3$ Perovskite 234–238
Mattson SM, Rossman GR: Fe^{2+}, Ti^{4+}-Charge Transfer in Stoichiometric Fe^{2+}, Ti^{4+}-Minerals 78–82
McDonagh CM, see Coey JMD, et al. 394–400
McKeown DA: Aluminium X-Ray Absorption Near-Edge Spectra of Some Oxide Minerals: Calculation Versus Experimental Data 678–683
McLaren AC, FitzGerald JD, Gerretsen J: Dislocation Nucleation and Multiplication in Synthetic Quartz: Relevance to Water Weakening 465–482
McLaren AC, see Gerretsen J, et al. 334–342
McMillan P, Ross N: The Raman Spectra of Several Orthorhombic Calcium Oxide Perovskites 21–28
McMillan P, Akaogi M, Ohtani E, Williams Q, Nieman R, Sato R: Cation Disorder in Garnets Along the $Mg_3Al_2Si_3O_{12} - Mg_4Si_4O_{12}$ Join: an Infrared, Raman and NMR Study 428–435
McMillan P, see Leinenweber K, et al. 799–808
McMillan P, see Sheu JL 114–119
McMillan P, see Williams Q, et al. 352–359
Meike A: Heterogeneous Deformation Resulting from Stress Gradients in Calcite Single Crystals 148–156
Merwin LH, Sebald A, Seifert F: The Incommensurate-Commensurate Phase Transition in Akermanite, $Ca_2MgSi_2O_7$, Observed by in-situ ^{29}Si MAS NMR Spectroscopy 752–756
Ming LC, see Kim Y-H, et al. 757–762
Molin GM, see Saxena SK, et al. 421–427
Navrotsky A, see Ashida T, et al. 239–245
Navrotsky A, see Ko J, et al. 727–733
Navrotsky A, see Leinenweber K 497–502
Navrotsky A, see Leinenweber K, et al. 799–808
Nieman R, see McMillan P, et al. 428–435
Oelkrug H, Brückel T, Hohlwein D, Hoser A, Prandl W: The Magnetic Structure of the Langbeinite $K_2Mn_2(SO_4)_3$ 246–249
Ogloza AA, Malhotra VM: Dehydroxylation Induced Structural Transformations in Montmorillonite: an Isothermal FTIR Study 378–385
Ogloza AA, see Malhotra VM 386–393
Ohtani E, see McMillan P, et al. 428–435
Ormerod C, see Salje E, et al. 576–581
Palmer DC, Putnis A, Salje EKH: Twinning in Tetragonal Leucite 298–303
Palmer DC, Salje EKH, Schmahl WW: Phase Transitions in Leucite: X-ray Diffraction Studies 714–719
Paterson MS, see Gerretsen J, et al. 334–342
Percival MJL, Salje E: Optical Absorption Spectroscopy of the $P2_13$-$P2_12_12_1$ Transformation in $K_2Co_2(SO_4)_3$ Langbeinite 563–568
Percival MJL, Schmahl WW, Salje E: Structure of Cobalt Doped $K_2Cd_2(SO_4)_3$ Langbeinite at Three Temperatures above the $P2_13 - P2_12_12_1$ Phase Transition, and a New Trigger Mechanism for the Ferroelastic Transformation 569–575
Peyronneau J, see Madon M, et al. 320–330
Pfeffer PE, see Bleam WF, et al. 455–464, 809–816
Phillips BL, Kirkpatrick RJ, Hovis GL: ^{27}Al, ^{29}Si, and ^{23}Na MAS NMR Study of an Al, Si Ordered Alkali Feldspar Solid Solution Series 262–275
Phillips BL, Kirkpatrick RJ, Putnis A: Si, Al Ordering in Leucite by High-Resolution ^{27}Al MAS NMR Spectroscopy 591–598
Platonov AN, see Taran MN 304–310

Poirier JP, see Madon M, et al. 320–330
Poirier J-P, see Wang Y, et al. 630–633
Pongratz P, see Gratz AJ, et al. 221–233
Potdevin JL, see Trolliard G, et al. 130–139
Powell BM, see Dove MT 503–507
Prandl W, see Oelkrug H, et al. 246–249
Prewitt CT, see Ko J, et al. 727–733
Prewitt CT, see Ross NL, et al. 621–629
Price DL, see Rao KR, et al. 83–97
Price GD, see Weidner DJ 42–50
Putnis A, see Güttler B, et al. 365–373
Putnis A, see Palmer DC, et al. 298–303
Putnis A, see Phillips BL, et al. 591–598
Rao KR, Chaplot SL, Choudhury N, Ghose S, Hastings JM, Corliss LM, Price DL: Lattice Dynamics and Inelastic Neutron Scattering from Forsterite, Mg_2SiO_4: Phonon Dispersion Relation, Density of States and Specific Heat 83–97
Rao KR, see Choudhury N, et al. 599–605
Redfern SAT, Graeme-Barber A, Salje E: Thermodynamics of Plagioclase III: Spontaneous Strain at the $I\bar{1} - P\bar{1}$ Phase Transition in Ca-rich Plagioclase 157–163
Redfern SAT, see Angel RJ, et al. 539–544
Referee Acknowledgement 725–726
Regnard JR, see Ballet O, et al. 672–677
Reid DA, see Bowen LH, et al. 697–703
Reynard B, see Gillet P, et al. 659–667
Richet P, Xu J-A, Mao H-K: Quasi-Hydrostatic Compression of Ruby to 500 Kbar 207–211
Ringwood AE, see Kato T 524–538
Roos J, see Ghose S, et al. 720–724
Ross NL, Hazen RM: Single Crystal X-ray Diffraction Study of $MgSiO_3$ Perovskite from 77 to 400 K 415–420
Ross NL, Ko J, Prewitt CT: A New Phase Transition in Mn TiO_3: $LiNbO_3$-Perovskite Structure 621–629
Ross NL, see Angel RJ, et al. 539–544
Ross N, see McMillan P 21–28
Rossman GR, see Mattson SM 78–82
Roux J, see Stebbins JF, et al. 763–766
Russell JD, see Sawcer DE, et al. 73–77
Ryabov ID, Bershov LV, Ganeev IG: Electron Paramagnetic Resonance of PO_2^{2-} and SO_2^- Radicals in Barite 374–377
Salje E, Wruck B: Kinetic Rate Laws as Derived from Order Parameter Theory II: Interpretation of Experimental Data by Laplace-Transformation, the Relaxation Spectrum, and Kinetic Gradient Coupling Between Two Order Parameters 140–147
Salje E, Güttler B, Ormerod C: Determination of the Degree of Al, Si Order Q_{od} in Kinetically Disordered Albite Using Hard Mode Infrared Spectroscopy 576–581
Salje EKH, see Harris MJ, et al. 649–658
Salje EKH, see Palmer DC, et al. 298–303, 714–719
Salje E, see Güttler B, et al. 365–373, 606–613
Salje E, see Percival MJL 563–568
Salje E, see Percival MJL, et al. 559–575
Salje E, see Redfern SAT, et al. 157–163
Salje E, see Schmahl WW 790–798
Sato R, see McMillan P, et al. 428–435
Sawamoto H, see Akamatsu T, et al. 105–113
Sawcer DE, Goodman BA, Russell JD, Thomas MF: A Mössbauer Effect Study of the Mineral Macaulayite 73–77
Saxena SK, Domeneghetti MC, Molin GM, Tazzoli V: X-ray Diffraction Study of $Fe^{2+} - Mg$ Order-Disorder in Orthopyroxene. Some Kinetic Results 421–427
Schmahl WW, Salje E: X-Ray Diffraction Study of the Orientational Order/Disorder Transition in $NaNO_3$: Evidence for Order Parameter Coupling 790–798
Schmahl WW, see Palmer DC, et al. 714–719
Schmahl WW, see Percival MJL, et al. 559–575
Schwab JA, see Graham EK, et al. 186–198
Sebald A, see Merwin LH, et al. 752–756
Seifert F, see Merwin LH, et al. 752–756
Seifert F, see Steffen G, et al. 120–129
Shannon RD, Subramanian MA: Dielectric Constants of Chrysoberyl, Spinel, Phenacite, and Forsterite and the Oxide Additivity Rule 747–751
Shannon RD, see Subramanian MA, et al. 741–746
Sheu JL, McMillan P: An Ab Initio Study of the O – H Stretching Frequency in Tremolite 114–119
Solin SA, see Gupta HC, et al. 291–294
Sopkin SM, see Graham EK, et al. 186–198
Stebbins JF, Farnan I, Williams EH, Roux J: Magic Angle Spinning NMR Observation of Sodium Site Exchange in Nepheline at 500° C 763–766
Steffen G, Langer K, Seifert F: Polarized Electronic Absorption Spectra of Synthetic (Mg, Fe)-orthopyroxenes, Ferrosilite and Fe^{3+}-bearing Ferrosilite 120–129
Stegger P, Lehmann G: The Structures of Three Centers of Trivalent Iron in α-Quartz 401–407
Stixrude L, Bukowinski MST: Simple Covalent Potential Models of Tetrahedral SiO_2: Applications to α-quartz and Coesite at Pressure 199–206
Subramanian MA, Shannon RD, Chai BHT, Abraham MM, Wintersgill MC: Dielectric Constants of BeO, MgO, and CaO Using the Two-Terminal Method 741–746
Subramanian MA, see Shannon RD 747–751
Sur SK, Cooney TF: Electron Paramagnetic Resonance Study of Iron (III) and Manganese (II) in the Glassy and Crystalline Environment of Synthetic Fayalite and Tephroite 693–696
Susaki J: $CdGeO_3$-Phase Transformations at High Pressure and Temperature and Structural Refinement of the Perovskite Polymorph 634–641
Syono Y, see Velde B, et al. 436–441
Takei H, see Graham EK, et al. 186–198
Taran MN, Platonov AN: Opitcal Absorption Spectra of Iron Ions in Vivianite 304–310
Tazzoli V, see Saxena SK, et al. 421–427
Tequi C, see Gillet P, et al. 659–667
Thomas MF, see Sawcer DE, et al. 73–77
Thompson JG, see Withers RL, et al. 517–523
Trolliard G, Boudeulle M, Lardeaux JM, Potdevin JL: Contrasted Modes of Amphibole Development in Coronitic Metagabbros: a TEM Investigation 130–139
Truskinovksy LM, see Kuskov OL, et al. 442–454
Tsukimura K, see Ghose S, et al. 483–496
Tyburczy J, see Gratz AJ, et al. 221–233
Van Tendeloo G, Ghose S, Amelinckx S: A Dynamical Model for the $P\bar{1} - I\bar{1}$ Phase Transition in Anorthite, $CaAl_2Si_2O_8$. I. Evidence from Electron Microscopy 311–319
Velde B, Syono Y, Kikuchi M, Boyer H: Raman Microprobe Study of Synthetic Diaplectic Plagioclase Feldspars 436–441
Virgos Rovira JM, see Marcos Pascual C 51–54
Vlasov VK, Kulikov OA: Radiothermoluminescence Dating and Applications to Pleistocene Sediments 551–558
Wang Y, Poirier J-P, Liebermann RC: Dislocation Dissociation in $CaGeO_3$ Perovskite 630–633
Webb SL: The Elasticity of the Upper Mantle Orthosilicates Olivine and Garnet to 3 GPa 684–692
Webb SL, see Dingwell DB 508–516
Weidner DJ, Price GD: The Effect of Many-Body Forces on the Elastic Properties of Simple Oxides and Olivine 42–50
Weidner DJ, see Yeganeh-Haeri A 360–364
Welberry TR, see Withers RL, et al. 517–523
Williams EH, see Stebbins JF, et al. 763–766
Williams Q, McMillan P, Cooney TF: Vibrational Spectra of Olivine Composition Glasses: The Mg – Mn Join 352–359
Williams Q, see McMillan P, et al. 428–435
Winkler B, Langer K, Johannsen PG: The Influence of Pressure on the OH Valence Vibration of Zoisite. An Infrared Spectroscopic Study 668–671
Wintersgill MC, see Subramanian MA, et al. 741–746
Withers RL, Thompson JG, Welberry TR: The Structure and Microstructure of α-Cristobalite and Its Relationship to β-Cristobalite 517–523
Wruck B, see Salje E 140–147
Xu J-A, see Richet P, et al. 207–211
Yamanaka T, see Akamatsu T, et al. 105–113
Yanev Y, see Zotov N, et al. 774–782
Yeganeh-Haeri A, Weidner DJ: Elasticity of a Beryllium Silicate (Phenacite: Be_2SiO_4) 360–364
Zanzotto G: Geobarothermometric Properties of Growth Twins and Mathematical Analysis of Quartz Data for a Broad Range of Temperatures and Pressures 783–789
Zotov N, Dimitrov V, Yanev Y: X-Ray Radial Distribution Function Analysis of Acid Volcanic Glasses from the Eastern Rhodopes, Bulgaria 774–782
Zou K, see Anderson OL 642–648

Subject Index, Volume 16

All mineral names occurring in titles, subtitles and abstracts are indexed. Chemical formulae are according to M. Fleischer, Glossary of Minerals Species, 1983 (in some cases simplified) or as given by the author. The numbers refer to the title page. Mineral names not listed in the index of M. Fleischer are marked with an asterisk (*)

A

acmite $NaFeSi_2O_6$
  magnetic order 672
  neutron diffraction 672
nuclear gamma ray resonance 672
age determination
  electron spin resonance flint 767
  radiothermoluminescence quartz 551
albite $NaAlSi_3O_8$
  Al XANES 678
  hard mode infrared spectra 576
  kinetics 576
  nuclear magnetic resonance 262
  order-disorder 576
alkali feldspars $(K, Na)AlSi_3O_8$
  aluminium-silicon ordering 649
  infrared spectra 649
  Landau theory 649
  modulated structure 649
  nuclear magnetic resonance 262
alpha particles
  pyrochlore 2
aluminium phosphate minerals
  hydrogen bonding 455
  nuclear magnetic resonance 455, 809, 817
amethyst SiO_2
  defects 401
  electron paramagnetic resonance 401
amphibole group
  diffusion 130
  electron microscopy 130
  glaucophane 659
  infrared spectra 659
  MO calculation 114
  nucleation 130
  O–H stretching frequency 114
  Raman spectra 659
  thermodynamic properties 659
  tremolite 114
ANNNI model
  polytypism sapphirine 343
anorthite $CaAl_2Si_2O_8$
  antiphase domains 545
  electron microscopy 311, 545
  growth kinetics 545
  order-disorder 545, 614
  phase transition 311, 539, 614
  spontaneous strain 539
cf. plagioclase
antiphase domains
  anorthite 545
augelite $Al_2(PO_4)(OH)_3$
  nuclear magnetic resonance 817

B

barite $BaSO_4$
  EPR spectra 374
  radicals 374
berlinite $AlPO_4$
  dislocations 250
  electron microscopy 250
  hydrolytic weakening 250
  structural analog to quartz 250
beryllonite-type $(Na, K)AlGeO_4$ 276
bromellite BeO
  dielectric constant 741

C

calcite $CaCO_3$
  defects 148
  deformation 148
  electron microscopy 148
  neutron diffraction 503
  orientational order-disorder 503, 790
  tricritical phase transition 503
calorimetry
  cattierite 172
  chalcocite 172
  chalcopyrite 172
  cobalt pentlandite 172
  covellite 172
  linnaeite 172
  $MnTiO_3$ polymorphs 725
  pyrite 172
  troilite 172
  $ZnGeO_3$ polymorphs 799
  $ZnSiO_3$ polymorphs 799
cation migration
  montmorillonite 98
cattierite CoS_2
  thermodynamic properties 172
chalcocite Cu_2S
  thermodynamic properties 172
chalcopyrite $CuFeS_2$
  thermodynamic properties 172
charge density
  waves 606
chlorite group
  polarized EXAFS 180
chrysoberyl Al_2BeO_4
  dielectric properties 747
Clausius-Mosotti equation 747
coesite SiO_2
  compression mechanism 199
  covalent potential model 199
compressibility
  molecular dynamics 234
  olivine 186
  perovskite-type $MgSiO_3$ 234
  ruby 207
  cf. compression, elastic properties
compression
  cristobalite 212
  quartz 212
compression mechanism
  coesite 199
  quartz 199
computer simulation
  phase diagram $MgO-SiO_2$ 442
cordierite $(Mg, Fe)_2Al_4Si_5O_{18}$
  Al, Si ordering 365
  infrared spectroscopy 365
  modulated phase 365
  phase transition 365
corundum Al_2O_3
  Al XANES 678
  compressibility 207
  elasticity 207
  intervalence charge transfer 78
  optical absorption spectra 78
  ruby 207
covalent potential model
  tetrahedral SiO_2 199
covellite CuS
  thermodynamic properties 172
cristobalite SiO_2
  compression 212
  diffuse scattering 517
  modified electron gas model 212
  polarization 212
  transformation mechanism 517
  transmission electron microscopy 517
cronstedtite $Fe_4SiO_5(OH)_4$
  antiferromagnetism 394
  electron hopping 394
  nuclear gamma ray resonance 394
  thermopiezic analysis 394
crystal structure
  $CdGeO_3$ polymorphs 634
  cristobalite 517
  langbeinite type 569
  perovskite-type 415

D

defects
  amethyst 401
  barite 374
  berlinite 250
  calcite 148
  dissociated dislocations 630
  kinetics 140
  maghemite 164
  model calculations 140
  multiplication 465
  nucleation 465
  paramagnetic centers 374
  planar 343
  quartz 250, 401, 465
  sapphirine 343
deformation
  calcite 148
  lamellae 221
  quartz 221
  shock 221
dehydroxylation
  kinetics 386
  mechanism 386
  montmorillonite 378, 386
density
  in relation to refractive index 286
  silica polymorphs 286
density of states
  forsterite 83
diamond anvil cell
  phase transitions 320, 757
dielectric constant measurement
  accuracy 741
  two-terminal method 741
dielectric properties
  bromellite 741
  chrysoberyl 747
  Clausius-Mosotti equation 747
  oxide additivity rule 747
  periclase 741
  phenakite 747
  polarizability 747
  portlandite 741
  spinel 747
diffuse scattering
  cristobalite 517
diffusion
  amphiboles 130

E

earth's core
  melting 524
earth's mantle
  phase equilibria 442
  transition zone 442

elastic properties
anisotropy 291
corundum 207
fayalite 186
forsterite 186
garnet 684
high pressure 684
many body forces 42
olivine 42, 186, 684
periclase 704
phenakite 360
pressure effect 186
quartz 783
ruby 207
temperature coefficient 186, 704
thermoelasticity 783
torsional mode 291
vermiculite 291
elasticity
computational model 582
forsterite 582
high-pressure minerals 559
high temperature 559
electrical properties
cronstedtite 394
electric field gradient
layer silicate 331
olivine 331
zektzerite: Li, Na 720
electron delocalization
cronstedtite 394
ilvaite 483
electron gas model
modified 212
polarization 212
silica 212
electron microscopy
amphiboles 130
anorthite 311, 545
berlinite 250
beryllonite-type 276
calcite 148
corona formation 130
cristobalite 517
deformation 148
dislocation dissociation 630
kalsilite-type 276
metamictization 2
nepheline-type 276
nucleation 130
olivine 320
perovskite-type 320, 630
pyrochlore 2
quartz 334
radiation induced lattice defects 2
spinel-type 320
wüstite 320
electron paramagnetic resonance
amethyst 401
barite 374
dating 767
fayalite: Fe^{3+} 693
fayalite glass: Fe^{3+} 693
flint 767
glasses Mn^{2+}, Fe^{3+} 693
quartz 401
tephroite Mn^{2+} 693
tephroite glass Mn^{2+} 693
electron spin resonance (ESR)
cf. electron paramagnetic resonance (EPR)
electronic charge transfer
corundum 78
Fe – Ti 78
neptunite 78
optical absorption spectra 78
taramellite 78
traskite 78
enthalpy
high pressure minerals 559
in relation to bulk modulus 559
sulfides 172
equation of state
forsterite 599
periclase 704

F

ferroelasticity
leucite 298, 714
spontaneous strain 298, 714
fission track
fading 2
pyrochlore 2
flint
dating 767
electron spin resonance 767

G

garnet group
$CdGeO_3$ garnet 634
crystal chemistry 734
elastic constants 684
formation from hedenbergite 757
infrared spectra 428
$MgSiO_3$ garnet 428
nuclear gamma ray resonance 734
nuclear magnetic resonance 428
order-disorder 428
Raman spectra 428
schorlomite 734
synthesis 734
Ti-andradite 734
geobarometry 783
geothermometry 783
germanate
$CdGeO_3$ 634
$(Na, K)AlGeO_4$ 276
$ZnGeO_3$ 799
glasses
diaplectic 436
electron paramagnetic resonance 693
fayalite 693
Fe^{3+} 693
infrared spectra 352
Mn^{2+} 693
olivine 352, 693
plagioclase 436
radial distribution function 774
Raman spectra 352, 436
structure 352, 436, 693, 774
structural relaxation 508
tephroite 693
volcanic 774
glass states
kinetics 140
Landau theory 140
glass transition
rheology 508
structural relaxation 508
growth twinning
quartz 783

H

hematite Fe_2O_3
nuclear gamma ray resonance 73
high pressure
$CdGeO_3$ 774
elastic moduli 684
hedenbergite 757
infrared spectra 668
$MnTiO_3$ polymorphs 621
olivine 320
phase transition 320, 621, 634
perovskite-type $MgSiO_3$ 320
silicate spinel 320
$ZnGeO_3$ 799
$ZnSiO_3$ 799
hydrogen bonding
aluminium phosphate minerals 455
pressure effect 668
zoisite 668
hydrolytic weakening
berlinite 250
dislocations 465
quartz 250, 334, 465
hydroxyl groups
zoisite 668

I

ilmenite $FeTiO_3$
principal reflectances 51
ilmenite type
calorimetry 239, 727
$CdGeO_3$ 634
$MgSiO_3$ 234, 239
$MnTiO_3$ 621, 727
phase transitions 239, 621, 634, 727, 799
thermal expansion 239
thermodynamic properties 239, 621, 727, 799
$ZnSiO_3$ 799
ilvaite
$CaFe_2^{+2}Fe^{+3}(SiO_4)_2(OH)$
electron hopping 483
intervalence charge transfer 55
Landau theory 483
magnetic structure 55
mixed valence 55
nuclear gamma ray resonance 55
phase transition crystallographic 483
phase transition magnetic 55
spin frustration 55
spontaneous strain 483
X-ray diffraction 483
infrared absorption (IR) spectra
albite 576
alkali feldspar 549
amphiboles 659
clintonite 401
cordierite 365
garnets 428
glasses 352
glaucophane 659
hard mode 576
high pressure 668
majorite 428
micas 408
montmorillonite 378, 386
phlogopite 408
quartz 334
water in quartz 334
zoisite 668
intervalence charge transfer
cf. electronic charge transfer

J

jadeite $NaAlSi_2O_6$
Al XANES 678

K

kalsilite-type
$(Na, K)AlGeO_4$ 276
kaolinite-serpentine group
cronstedtite 394
kinetics
cation ordering orthopyroxene 421
dehydroxylation mechanism 386
growth of anorthite 545
Landau theory 140
model calculations 140
orthopyroxene 421
rate constants 421
Si, Al ordering albite 576
Si, Al ordering anorthite 545
site exchange nepheline 763

L

Landau theory
kinetics 140
phase transition anorthite 539, 614
phase transition ilvaite 483, 606
structural states feldspar 649
langbeinite type
magnetic structure 246
optical absorption spectra 563
phase transition 563, 569
structure 569
lattice dynamics
forsterite 83, 599
oxides 61
lattice model
Born type 42
leucite $KAlSi_2O_6$
ferroelasticity 298, 714
nuclear magnetic resonance 591

order/disorder Si, Al 591
order parameter coupling 714
phase transition 298, 714
spontaneous strain 298, 714
twinning 298
light scattering
water bubbles in quartz 334
linnaeite Co_3S_4
thermodynamic properties 172
liquid immiscibility
Fe–FeO system 524
lithium niobate structure type
$MnTiO_3$ 621, 727

M

*macaulayite $(Fe_2O_3)_{12}(SiO_2)_4 \cdot H_2O$
magnetic ordering 73
nuclear gamma ray resonance 73
maghemite Fe_2O_3
cation distribution 164
defects 164
magnetic properties 164
magnetic ordering
langbeinite 246
macaulayite 73
magnetic properties
acmite 672
cronstedtite 394
maghemite 164
magnetite 164
superexchange 672
magnetic structure
ilvaite 55
langbeinite 246
spin frustration 55
magnetite Fe_3O_4
magnetic properties 164
oxidation 164
majorite (garnet-type $MgSiO_3$)
infrared spectra 428
nuclear magnetic resonance 428
order-disorder 428
Raman spectra 428
many-body forces
elasticity 42
olivine 42
oxides 42
mean square displacement
molecular dynamics 234
perovskite $MgSiO_3$ 234
melilite $(Ca, Na)_2(Mg, Fe, Al)(Si, Al)_2O_7$
akermanite 752
incommensurate phase 752
nuclear magnetic resonance 752
phase transition 752
melting
earth's core 524
Fe–FeO system 524
forsterite 599
melts
covalent potential model 199
glass transition 508
relaxation 508
rheology 508
SiO_2 199
cf. glasses
metamict minerals
pyrochlore 2
metamorphism
shock 221
mica group
biotite 180
celadonite 697
clintonite 408
infrared spectra 408
nuclear gamma ray resonance 697
phlogopite 408
polarizes EXAFS 180
modulated structure
feldspar 649
melilite 752
molecular dynamics
compressibility 234
perovskite $MgSiO_3$ 234
thermal expansion 234
molecular orbital (MO) theory
O–H stretching frequency 114
tremolite 114
montmorillonite group
cation migration 98
dehydroxylation 378, 386
Fourier-transform infrared spectroscopy 378, 386
kinetics 386
nuclear gamma ray resonance 98, 697
smectite 697
structural transformation 378, 386
Mössbauer spectroscopy
cf. nuclear gamma ray resonance

N

$NaNO_3$
order-disorder 790
phase transition 790
nepheline $NaAlSiO_4$
Al XANES 678
nuclear magnetic resonance 763
site exchange Na 763
nepheline type
$(Na, K)AlGeO_4$ 276
neptunite $KNa_2LiFe_2Ti_2Si_8O_{24}$
intervalence Fe–Ti charge transfer 78
optical absorption spectra 78
neutron diffraction
acmite 672
calcite 503
neutron scattering, inelastic
forsterite 83
nuclear gamma ray resonance (NGR)
acmite 672
cation distribution 120
celadonite 697
cronstedtite 394
ferrosilite 120
garnet 734
hematite 73
ilvaite 55
macaulayite 73
montmorillonite group 98, 697
muscovite 331
olivine 331
oriented minerals 331
orthopyroxene 120
smectite 697
nuclear magnetic resonance (NMR)
alkali feldspar: Al, Si, Na 262
aluminium coordination 817
aluminium phosphate minerals: P 455
asymmetry parameter 817
chemical shift anisotropy 809
cross-relaxation time 455, 809
dipolar dephasing 455, 809
garnet 428
heteronuclear dipole interactions 455
high temperature 752, 763
hydrogen bonding 455
isotropic chemical shift: P 455
leucite: Si, Al 591
majorite 428
melilite: Si 752
nepheline Na site exchange 763
phase transition in situ 752
quadrupolar coupling constant 817
silicates 295
silicic acid derivatives 295
site exchange in situ 763
soluble silicates 295
spin echo 809
taranakite: P, Al 809
zektzerite: Li, Na 720
nucleation
amphibole 130

O

olivine group
cation distribution 105, 331
density of states 83
dielectric properties 747
elastic properties 42, 186, 582, 684
electric field gradient 331
electron microscopy 320
electron paramagnetic resonance 693
equation of state 599
fayalite 186, 693
forsterite 83, 186, 582, 747
glassy state 693
high pressure phase equilibria 320
inelastic neutron scattering 83
lattice dynamics 83, 599
many body forces 42
melting 599
Mg–Mn olivines 105
phase transitions 320
phonon dispersion 83
specific heat 83
spinel transition 320
structure 582
tephroite 693
thermal expansion 599
transformation mechanism 320
optical absorption spectra
corundum 78
ferrosilite 120
ilvaite 606
intervalence charge transfer 78
langbeinite 563
neptunite 78
order-disorder 120
orthopyroxene 120
taramellite 78
traskite 78
vivianite 304
optical properties
absorbing minerals 51
ilmenite 51
principal reflectances 51
order-disorder
albite: Si, Al 576
alkali feldspar 649
anorthite: Si, Al 545, 614
calcite 503
cordierite: Si, Al 365
garnet 428
kinetics 421
Landau theory 649
leucite: Si, Al 591
maghemite 164
magnetic 672
majorite 428
$NaNO_3$ 790
olivine 105, 331
optical absorption spectra 120
orientational 503, 790
orthopyroxene 120, 421
pressure dependence 105
spinel group 497
temperature dependence 105
order parameter coupling
ilvaite 606
leucite 714
$NaNO_3$ 790
orthopyroxene $(Mg, Fe)_2Si_2O_6$
cf. pyroxene group
ferrosilite 120
nuclear gamma ray resonance 120
optical absorption spectra 120
order-disorder 120
oxidation
magnetite 164
oxides
crystal chemistry 61
elastic constants 42
lattice dynamics 61
vibrational spectra 61

P

periclase MgO
- dielectric constant 741
- elastic constants 704
- entropy 642
- equation of state 704
- free energy 642
- high temperature properties 642

perovskite type
- $CaGeO_3$ 21, 630
- calorimetry 727
- $CaSnO_3$ 21
- $CaTiO_3$ 21
- $CaZrO_2$ 21
- $CdGeO_3$ 634
- compressibility 234
- crystal structure 415, 634
- dislocation dissociation 630
- formation from hedenbergite 757
- mean-square displacement 234
- $MgSiO_3$ 234, 415
- $(Mg, Fe)SiO_3$ 320
- $MnTiO_3$ 621, 727
- molecular dynamics 234
- orthorhombic 21
- phase transition 320, 621, 634
- Raman spectra 21
- $SrTiO_3$ 21
- thermal expansion 234, 415
- transmission electron microscopy 630

phase relations
- Co – CoO system 524
- Fe – FeO system 524
- $MgO-SiO_2$ system 442
- $(Na, K)AlGeO_4$ 276
- Ni – NiO system 524

phase transition
- anorthite 157, 311, 539, 614
- calcite 503
- $CdGeO_3$ 634
- charge delocalization 483
- cordierite 365
- dynamical model 614
- ferroelastic 569
- garnet-ilmenite type $CdGeO_3$ 634
- high pressures 539
- ilmenite-lithium niobate $MnTiO_3$ 621, 727
- ilmenite-perovskite type $CdGeO_3$ 634
- ilvaite 483, 606
- Landau theory 483, 539
- langbeinite type 563, 569
- leucite 298, 714
- lithium niobate type $MnTiO_3$ 621, 727
- melilite 752
- $MnTiO_3$ 621
- modulated phases 752
- $NaNO_3$ 790
- olivine – spinel 320
- order-disorder 614, 790
- order parameter coupling 714, 790
- perovskite-ilmenite type $MnTiO_3$ 621, 727
- plagioclase 157, 539
- pyroxene-ilmenite type $MgSiO_3$ 239
- spontaneous strain 157, 298, 483, 539, 714
- tricritical 503
- trigger mechanism 569
- twinning 298
- $ZnGeO_3$ 799
- $ZnSiO_3$ 799

phenakite Be_2SiO_4
- dielectric properties 747
- elastic properties 360

phonon dispersion
- forsterite 83

phosphates
- Al coordination 817
- augelite 817
- nuclear magnetic resonance 809, 817
- senegalite 817
- taranakite 809

plagioclase
- $(Na, Ca)Al(Al, Si)Si_2O_8$
- anorthite 157
- diaplectic glass 436
- Landau theory 157
- phase transformations 157, 539
- Raman spectra 436
- shock effects 436
- thermodynamic properties 157
- cf. albite, anorthite

plastic properties
- quartz 334

polarization
- EXAFS 180
- MEG model 212
- silica 212

polytypism
- ANNNI model 343
- sapphirine 343
- wollastonite 343

*porosils SiO_2
- density 286
- guest-free 286
- refractive index 286

portlandite CaO
- dielectric constant 741

potential model
- tetrahedral SiO_2 199

potential surfaces
- by quantum mechanics 29

pyrite FeS_2
- thermodynamic properties 182

pyrochlore
- $(Na, Ca)_2Nb_2O_6(OH, F)$
- alpha-decay damage 2
- metamictization 2
- transmission electron microscopy 2

pyroxene group
- acmite 672
- hedenbergite 757
- jadeite 678
- magnetic properties 672
- order-disorder kinetics 421
- orthopyroxene 421
- phase transformation 757
- X-ray diffraction 421
- X-ray spectra 678

Q

quantum chemistry
- oxides 61

quantum mechanics
- potential surfaces 29

quartz SiO_2
- age determination 551
- analogy to berlinite 250
- amethyst 401
- compression 212
- compression mechanism 199
- covalent potential model 199
- defects 401
- deformation 221
- dislocations 465
- elastic properties 199
- electron microscopy 334
- electron paramagnetic resonance 401
- growth twinning 781
- hydrolytic weakening 250, 334, 465
- infrared spectra 334
- lamellae 221
- light scattering 334
- modified electron gas model 212
- polarization 212
- radiothermoluminescence 551
- shock effects 221
- synthetic 465
- thermoelasticity 783
- twinning 783
- water bubbles 334
- water solubility 334

R

radial distribution function
- volcanic glasses 774

radiothermoluminescence
- age determination 551
- quartz 551

Raman microprobe 436

Raman spectra
- diaplectic glasses 436
- garnet 428
- glasses 352, 436
- glaucophane 659
- high temperature 21
- majorite 428
- orthorhombic perovskites 21
- plagioclase 436

refractive index
- in relation to density 286
- silica polymorphs 286

relaxation
- structural, melts, glasses 508

rheology
- silicate melts 508

S

sapphirine
- $(Mg, Al)_8(Al, Si)_6O_{20}$
- ANNNI model 343
- planar defects 343
- polytypism 343
- short-range interactions 343

shock effects
- deformation 221
- lamellae 221
- metamorphism 221
- plagioclase 436
- quartz 221

silica
- density 286
- modified electron gas model 212
- polymorphs 286
- refractive index 286
- cf. coesite, cristobalite, quartz

silicate hydroacid molecules
- quantum mechanics 29

silicates
- nuclear magnetic resonance 295
- soluble 295

silicic acid $Si(OH)_4$
- derivatives 295
- nuclear magnetic resonance 295

sillimanite Al_2SiO_5
- Al XANES 678

spin frustration
- ilvaite 55

spinel group
- dielectric properties 747
- electron microscopy 320
- $MgGa_2O_4$ 497
- Mg_2GeO_4 497
- $(Mg,Fe)_2SiO_4$ 320
- order-disorder 497
- phase transition 320
- silicate spinels 320

spinelloids
- $MgGa_2O_4 - Mg_2GeO_4$ 497
- thermodynamics 497

spontaneous strain
- anorthite 539
- ilvaite 483
- leucite 298, 714
- phase transition 157, 298, 483, 539, 714
- plagioclase 157, 539

stress
- anisotropic 582
- forsterite 582

structural transformation
- montmorillonite 378

structure
- cf. crystal structure, magnetic structure

structure modelling
- forsterite 582

sulfides
- standard enthalpies of formation 172

superexchange
- acmite 672

T

taramellite
- $Ba_4(Fe, Ti)_4B_2Si_8O_{29}Cl_x$

intervalence Fe–Ti charge transfer 78
optical absorption spectra 78
taranakite $KAl_3(PO_4)_3(OH)\cdot 9H_2O$
nuclear magnetic resonance 809
thermal expansion
forsterite 599
ilmenite-type $MgSiO_3$ 239
molecular dynamics 234
perovskite $MgSiO_3$ 234, 415
thermodynamic properties
elasticity 559
forsterite 83
glaucophane 659
high-pressure minerals 559
ilmenite-type $MgSiO_3$ 239
$MgGa_2O_4$ 497
Mg_2GeO_4 497
$MgO-SiO_2$ system 442
periclase 642
plagioclase 157
spinelloids 497
spinel 497
sulfides 172
$ZnGeO_3$ 799
$ZnSiO_3$ 799
thermoelasticity
quartz 783
thermopiezic analysis
cronstedtite 394
transmission electron microscopy
cfl. electron microscopy
traskite $Ba_9Fe_2Ti_2(SiO_3)_{12}(OH, F, Cl)_6.6H_2O$
intervalence Fe–Ti charge transfer 78
optical absorption spectra 78
tridymite SiO_2
derivative structures 276
trigger mechanism
phase transition langbeinite 569
troilite FeS
thermodynamic properties 172
twinning
leucite 298
phase transition 298
quartz 783

V

vermiculite
$(Mg, Ca)_{0.33}(Mg, Fe, Al)_6(Si, Al)_8O_{20}(OH)_4\cdot 8H_2O$
elastic anisotropy 291
torsikonal mode frequency 291
vibrational spectra
calculation 114
oxides 61
tremolite 114
cf. infrared spectra, Raman spectra
vivianite $Fe_3(PO_4)_2.8H_2O$
intervalence charge transfer 304
optical spectra 304

W

wollastonite $CaSiO_3$
polytypism 343

X

X-ray diffraction
ilvaite 483
$(Na, K)AlGeO_4$ phases 276
orthopyroxene 421
X-ray spectra
aluminium 678
albite 678
biotite 180
calculation 678
chlorite 180
corundum 678
jadeite 678
nepheline 678
polarized 180
sillimanite 678
XANES 678

Z

zektzerite $NaLiZrSi_6O_{15}$
electric field gradient: Li, Na 722
nuclear magnetic resonance: Li, Na 722
zinc germanate $ZnGeO_3$
high pressures 799
thermodynamic properties 799
zinc silicate $ZnSiO_3$
high pressure 799
thermodynamic properties 799
zoisite $Ca_2Al_3(SiO_4)_3(OH)$
high pressure 668
hydrogen bonding 668
infrared spectroscopy 668